

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	672	(imag\$3 near3 device\$1) with processor with (media or medium)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 16:43
L2	4	l1 and embedded near3 webserver	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 16:44
L3	126	l1 and configur\$4 with imag\$3 with device	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 16:45
S1	2	"5956487".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 16:35
S2	35010	imaging adj device\$1	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 13:38
S3	1641	709/220.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 13:38
S4	7	S2 and S3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 13:47
S5	4	S2 and embedded adj webserver	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 13:49

S6	34	manag\$3 adj2 (imaging adj device)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 14:09
S7	1	http adj interface and (configur\$3 adj2 (imaging adj device))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 14:09
S8	155	(configur\$3 adj2 (imaging adj device))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 14:17
S9	17	configur\$3 adj2 printer\$1 with ((web adj server) or webserver)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 14:30
S10	2	(store adj configuration) and (store adj list adj device\$1)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 14:54
S11	2	"6202096".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 15:04
S12	2	"6760755".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 15:19
S13	2	"5630101".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 15:18

S14	0	"20010044822".pub.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 15:22
S15	1879	imaging adj device with processor	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 15:23
S16	1222	S15 and memory	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 15:23
S17	1	S16 and (store adj2 configuration) with memory	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 15:24
S18	2	S16 and (store adj2 configuration)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 15:24
S19	17	S16 and discover\$3 with device\$1	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 15:33
S20	23	S16 and config\$3 with (imaging adj device)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 15:35
S21	2	"5956487".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 12:19

S22	2	("6170007").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/18 12:20
S23	2	("6202096").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/18 12:37
S24	2	("20020196451").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/18 12:37
S25	2	("6308205").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/18 12:40
S26	2	("6125390").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/18 12:42
S27	2	("6167567").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/18 12:45
S28	2	("6314452").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/18 12:50
S29	2	("6760755").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/18 12:51

S30	1	printer adj markup adj language	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 12:51
S31	2094	(printer adj markup adj language) or PML	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 12:52
S32	219	S31 and https and http	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 12:52
S33	36	S32 and configur\$3 with printer\$1	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 13:10
S34	27	PML and https with protocol and http near3 protocol	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 12:58
S35	2	("20030097426").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 13:11
S36	106	printer with management with language	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 13:12
S37	20	S36 and http with protocol	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 13:12

S38	10	S36 and SSL with protocol	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 15:30
S39	0	(configuration adj2 paramters) near2 mask	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 15:30
S40	15	(configuration adj2 parameters) near2 mask	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 15:43
S41	13	S40 and software	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 15:31
S42	5	S41 and firmware	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 15:31
S43	1533	(configuration adj2 parameters) and firmware and software	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 15:44
S44	289	S43 and download\$3 with configuration	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 15:44
S45	34	S44 and upload\$3 with configuration	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 15:47

S46	7659	configur\$3 with printer\$1	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 15:47
S47	122	S46 and download with configuration	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 15:47
S48	75	S47 and upload\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 16:04
S49	2	("6026436").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 16:06
S50	2	("6119156").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 16:08
S51	2	("5905906").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 16:10
S52	2	("5692111").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 16:10
S53	2	("5638497").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 16:11

S54	1	((translat\$3 or convert\$3 or process\$3) near2 configuration) with (protocol adj2 compatible\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 17:45
S55	43765	((translat\$3 or convert\$3 or process\$3) near2 configuration)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 17:45
S56	6	translat\$3 with (printer adj3 compatible)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 18:06
S57	8	(translat\$3 or convert\$3) with printer with compatible\$2 with protocol	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 18:07
S58	2	("6167567").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/20 14:09
S59	1	maintain with routing with table and VPN with EGP	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 14:11
S60	135	maintain with routing with table and VPN	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 14:12